





# Filter Tips

Hyper-Filter Tips


Filter Tips

10 $\mu$ L10  $\mu$ L, Short Hyper-Filter Tip

Real scale




Material: Polypropylene (pipette tip, plate) Polyethylene (filter)

125-10S  
10  $\mu$ L  
Short Hyper-Filter Tip  
System Rack127-10S  
10  $\mu$ L  
Short Hyper-Filter Tip  
Refill Plate

Cat. No.	Item	Packaging	Unit	Case
125-10S	10 $\mu$ L, Short Hyper-Filter Tip, Graduated	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
127-10S	10 $\mu$ L, Short Hyper-Filter Tip, Graduated	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 0.2-2  $\mu$ L / 1-10  $\mu$ L (Multi) / 10  $\mu$ L (Fixed volume)
- Eppendorf Reference/ Research V 0.5-10  $\mu$ L (Multi)
- Gilson Pipetman P-2 / P-10 • Finnpiquette Digital 0.2-2.0  $\mu$ L / 0.5-10  $\mu$ L (Multi)
- Biohit Proline 0.1-2.5  $\mu$ L / 0.5-10  $\mu$ L (Multi) • Nichiryo Nichipet EX 0.1-2  $\mu$ L / 0.5-10  $\mu$ L (Multi)
- A&D MPA-10 / MPA-20


10 $\mu$ L10  $\mu$ L, Long Hyper-Filter Tip

Real scale



Because of total 50 mm length of long tip, the pipette's nozzle does not touch the solution and/or the microtube with no concern of contamination even if the tip reaches the bottom of 1.5 mL microtube.

Material: Polypropylene (pipette tip, plate) Polyethylene (filter)

125-10XS  
10  $\mu$ L  
Long Hyper-Filter Tip  
System Rack127-10XS  
10  $\mu$ L  
Long Hyper-Filter Tip  
Refill Plate

Cat. No.	Item	Packaging	Unit	Case
125-10XS	10 $\mu$ L, Long Hyper-Filter Tip, Graduated	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
127-10XS	10 $\mu$ L, Long Hyper-Filter Tip, Graduated	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**



- Watson NEXTY/NEXTY-S 0.2-2  $\mu$ L / 1-10  $\mu$ L (Multi) / 10  $\mu$ L (Fixed volume)
- Eppendorf Reference/ Research V 0.5-10  $\mu$ L (Multi)
- Eppendorf Reference 2-20  $\mu$ L (Gray Button) • Gilson Pipetman P-2 / P-10
- Finnpiquette Digital 0.2-2.0  $\mu$ L / 0.5-10  $\mu$ L (Multi) • Biohit Proline 0.1-2.5  $\mu$ L / 0.5-10  $\mu$ L (Multi)
- Nichiryo Nichipet EX 0.1-2  $\mu$ L / 0.5-10  $\mu$ L (Multi) • A&D MPA-10 / MPA-20

20 $\mu$ L20  $\mu$ L, Hyper-Filter Tip

Real scale



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)

125-20S  
20  $\mu$ L, Hyper-Filter Tip  
System Rack127-20S  
20  $\mu$ L, Hyper-Filter Tip  
Refill Plate

Cat. No.	Item	Packaging	Unit	Case
125-20S	20 $\mu$ L, Hyper-Filter Tip	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
127-20S	20 $\mu$ L, Hyper-Filter Tip	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 2-20  $\mu$ L / 20  $\mu$ L (Fixed volume)
- Eppendorf Reference/ Research V 2-20  $\mu$ L (Yellow Button)
- Gilson Pipetman P-20 • Finnpiquette Digital 2-20  $\mu$ L • Biohit Proline 2-20  $\mu$ L
- Nichiryo Nichipet EX 2-20  $\mu$ L • A&D MPA-200



100  $\mu$ L

### 100 $\mu$ L, Hyper-Filter Tip




Real scale


53 mm



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



125-100S  
100  $\mu$ L, Hyper-Filter Tip  
System Rack



127-100S  
100  $\mu$ L, Hyper-Filter Tip  
Refill Plate



Cat. No.	Item	Packaging	Unit	Case
125-100S	100 $\mu$ L, Hyper-Filter Tip	System Rack(PC)	96 tips $\times$ 10 racks	5 units
127-100S	100 $\mu$ L, Hyper-Filter Tip	Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 10-100  $\mu$ L(Multi) / 100  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 10-100  $\mu$ L(Multi)
- Gilson Pipetman P-100 • Finnpipette Digital 5-50  $\mu$ L(Multi) / 10-100  $\mu$ L
- Biohit Proline 5-50  $\mu$ L(Multi) / 10-100  $\mu$ L • Nichiryo Nichipet EX 10-100  $\mu$ L
- A&D MPA-200

200  $\mu$ L

### 200 $\mu$ L, Hyper-Filter Tip



Real scale


53 mm




Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



125-200S  
200  $\mu$ L, Hyper-Filter Tip  
System Rack



127-200S  
200  $\mu$ L, Hyper-Filter Tip  
Refill Plate




Cat. No.	Item	Packaging	Unit	Case
125-200S	200 $\mu$ L, Hyper-Filter Tip	System Rack(PC)	96 tips $\times$ 10 racks	5 units
127-200S	200 $\mu$ L, Hyper-Filter Tip	Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 20-200  $\mu$ L(Multi) / 200  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 50(20)-200  $\mu$ L
- Gilson Pipetman P-200 • Finnpipette Digital 20-200  $\mu$ L
- Biohit Proline 20-200  $\mu$ L • A&D MPA-200


200  $\mu$ L

### 200 $\mu$ L, Long Hyper-Filter Tip



Real scale


89 mm




Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



125-200XS  
200  $\mu$ L  
Long Hyper-Filter Tip  
System Rack




127-200XS  
200  $\mu$ L  
Long Hyper-Filter Tip  
Refill Plate



Cat. No.	Item	Packaging	Unit	Case
125-200XS	200 $\mu$ L, Long Hyper-Filter Tip, Graduated	System Rack(PC)	96 tips $\times$ 10 racks	5 units
127-200XS	200 $\mu$ L, Long Hyper-Filter Tip, Graduated	Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 20-200  $\mu$ L(Multi) / 200  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 50(20)-200  $\mu$ L
- Gilson Pipetman P-200
- Finnpipette Digital 20-200  $\mu$ L
- Biohit Proline 20-200  $\mu$ L
- Nichiryo Nichipet EX 20-200  $\mu$ L
- A&D MPA-200




Best for the use of 5 mL test tube with its length 75 mm.

**Note: Please read precautions of the use of 200XS series tips on page 28.**




## 1000 µL, Long Hyper-Filter Tip



Real scale



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)




Cat. No.	Item	Packaging	Unit	Case
125-1000S	1000 µL, Long Hyper-Filter Tip, Graduated	Sterilized System Rack(PC)	96 tips×10 racks	5 units
127-1000S	1000 µL, Long Hyper-Filter Tip, Graduated	Sterilized Refill Plate	96 tips×10 plates	5 units

**Pipette tip compatibility**


- Watson NEXTY/NEXTY-S 100-1000 µL / 1000 µL (Fixed volume)
- Eppendorf Reference/ Research V 100-1000 µL
- Gilson Pipetman P-1000
- Finnpiquette Digital 100-1000 µL
- Biohit Proline 100-1000 µL
- Nichiryo Nichipet EX 100-1000 µL
- A&D MPA-1200



## 1200 µL, Extra-Long Hyper-Filter Tip



Real scale



It reaches to the inner bottom of 15 mL / 50 mL centrifuge tube. No concern of contamination of the pipette's nozzle with the solution and/or the inner part of centrifuge tube.

**Note: Please read precautions of the use of 1200S series tips on page 28.**

Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



Cat. No.	Item	Packaging	Unit	Case
125-1200S	1200 µL, Extra Long Hyper-Filter Tip, Graduated	Sterilized System Rack(PC)	96 tips×10 racks	5 units
127-1200S	1200 µL, Extra Long Hyper-Filter Tip, Graduated	Sterilized Refill Plate	96 tips×10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 100-1000 µL / 1000 µL (Fixed volume)
- Eppendorf Reference/ Research V 100-1000 µL
- Gilson Pipetman P-1000
- Finnpiquette Digital 100-1000 µL
- Biohit Proline 100-1000 µL
- Nichiryo Nichipet EX 100-1000 µL
- A&D MPA-1200



## Nuclease-free certificate

This mark shows RNase/DNase/Human-DNA free. Products with this mark are manufactured in the clean room under our high quality control, and inspected to meet our strict quality standards. RNase/DNase-free certificates can be issued for each lot upon your request.



## Pyrogen Free


This mark shows endotoxin level reach 0.05 EU/mL or less when our products were tested using a colorimetric method referred to the Japanese Pharmacopoeia.



Hyper-Filter Tips

10 $\mu$ L

## 10 $\mu$ L, Short Standard Filter Tip



Real scale



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



1251-204CS  
10 $\mu$ L, Short Filter Tip  
System Rack



1251P-204CS  
10 $\mu$ L, Short Filter Tip  
System Rack(PP)



1271-204CS  
10 $\mu$ L, Short Filter Tip  
Refill Plate




Cat. No.	Item	Packaging	Unit	Case
1251-204CS	10 $\mu$ L, Short Filter Tip, Graduated	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
1251P-204CS	10 $\mu$ L, Short Filter Tip, Graduated	Sterilized System Rack(PP)	96 tips $\times$ 10 racks	5 units
1271-204CS	10 $\mu$ L, Short Filter Tip, Graduated	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 0.2-2  $\mu$ L / 1-10  $\mu$ L(Multi) / 10  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 0.5-10  $\mu$ L(Multi)
- Gilson Pipetman P-2 / P-10
- Finnpiptette Digital 0.2-2.0  $\mu$ L / 0.5-10  $\mu$ L(Multi)
- Biohit Proline 0.1-2.5  $\mu$ L / 0.5-10  $\mu$ L(Multi)
- Nichiryo Nichipet EX 0.1-2  $\mu$ L / 0.5-10  $\mu$ L(Multi)
- A&D MPA-10 / MPA-20

10 $\mu$ L

## 10 $\mu$ L, Long Standard Filter Tip



Real scale



Because of total 50 mm length of long tip, the pipette's nozzle does not touch the solution and/or the microtube with no concern of contamination even if the tip reaches the bottom of 1.5 mL microtube.



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



1252-207CS  
10  $\mu$ L, Long Filter Tip  
System Rack



1252P-207CS  
10  $\mu$ L, Long Filter Tip  
System Rack(PP)



1272-207CS  
10  $\mu$ L, Long Filter Tip  
Refill Plate



Cat. No.	Item	Packaging	Unit	Case
1252-207CS	10 $\mu$ L, Long Filter Tip, Graduated	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
1252P-207CS	10 $\mu$ L, Long Filter Tip, Graduated	Sterilized System Rack(PP)	96 tips $\times$ 10 racks	5 units
1272-207CS	10 $\mu$ L, Long Filter Tip, Graduated	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 0.2-2  $\mu$ L / 1-10  $\mu$ L(Multi) / 10  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 0.5-10  $\mu$ L(Multi)
- Gilson Pipetman P-2 / P-10
- Finnpiptette Digital 0.2-2.0  $\mu$ L / 0.5-10  $\mu$ L(Multi)
- Biohit Proline 0.1-2.5  $\mu$ L / 0.5-10  $\mu$ L(Multi)
- Nichiryo Nichipet EX 0.1-2  $\mu$ L / 0.5-10  $\mu$ L(Multi)
- A&D MPA-10 / MPA-20

20 $\mu$ L

## 20 $\mu$ L, Standard Filter Tip



Real scale



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)




124-20S  
20  $\mu$ L, Filter Tip  
System Rack



124P-20S  
20  $\mu$ L, Filter Tip  
System Rack(PP)



126-20S  
20  $\mu$ L, Filter Tip  
Refill Plate



Cat. No.	Item	Packaging	Unit	Case
124-20S	20 $\mu$ L, Filter Tip	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
124P-20S	20 $\mu$ L, Filter Tip	Sterilized System Rack(PP)	96 tips $\times$ 10 racks	5 units
126-20S	20 $\mu$ L, Filter Tip	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 2-20  $\mu$ L / 20  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 2-20  $\mu$ L(Yellow Button)
- Gilson Pipetman P-20
- Finnpiptette Digital 2-20  $\mu$ L
- Biohit Proline 2-20  $\mu$ L
- Nichiryo Nichipet EX 2-20  $\mu$ L
- A&D MPA-200

100  $\mu$ L

## 100 $\mu$ L, Standard Filter Tip




Real scale


53 mm



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



124-100S  
100  $\mu$ L, Filter Tip  
System Rack




124P-100S  
100  $\mu$ L, Filter Tip  
System Rack(PP)



Cat. No.	Item		Packaging	Unit	Case
124-100S	100 $\mu$ L, Filter Tip	Sterilized	System Rack(PC)	96 tips $\times$ 10 racks	5 units
124P-100S	100 $\mu$ L, Filter Tip	Sterilized	System Rack(PP)	96 tips $\times$ 10 racks	5 units
126-100S	100 $\mu$ L, Filter Tip	Sterilized	Refill Plate	96 tips $\times$ 10 plates	5 units

126-100S  
100  $\mu$ L, Filter Tip  
Refill Plate



**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 10-100  $\mu$ L(Multi) / 100  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 10-100  $\mu$ L(Multi)
- Gilson Pipetman P-100 • Finnpiquette Digital 5-50  $\mu$ L / 10-100  $\mu$ L
- Biohit Proline 5-50  $\mu$ L(Multi) / 10-100  $\mu$ L • Nichiryo Nichipet EX 10-100  $\mu$ L • A&D MPA-200

200  $\mu$ L

## 200 $\mu$ L, Standard Filter Tip




Real scale


53 mm



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



1252-703CS  
200  $\mu$ L, Filter Tip  
System Rack




1272-703CS  
200  $\mu$ L, Filter Tip  
Refill Plate



Cat. No.	Item		Packaging	Unit	Case
1252-703CS	200 $\mu$ L, Filter Tip	Sterilized	System Rack(PC)	96 tips $\times$ 10 racks	5 units
1252P-703CS	200 $\mu$ L, Filter Tip	Sterilized	System Rack(PP)	96 tips $\times$ 10 racks	5 units
1272-703CS	200 $\mu$ L, Filter Tip	Sterilized	Refill Plate	96 tips $\times$ 10 plates	5 units

1272-703CS  
200  $\mu$ L, Filter Tip  
Refill Plate




**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 20-200  $\mu$ L(Multi) / 200  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 50(20)-200  $\mu$ L • Gilson Pipetman P-200
- Finnpiquette Digital 20-200  $\mu$ L • Biohit Proline 20-200  $\mu$ L
- Nichiryo Nichipet EX 20-200  $\mu$ L / 40-200  $\mu$ L(Multi) • A&D MPA-200

200  $\mu$ L

## 200 $\mu$ L, Long Standard Filter Tip




Real scale

89 mm



Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



1252-801CS  
200  $\mu$ L, Long Filter Tip  
System Rack





1252P-801CS  
200  $\mu$ L, Long Filter Tip  
System Rack(PP)



Cat. No.	Item		Packaging	Unit	Case
1252-801CS	200 $\mu$ L, Long Filter Tip, Graduated	Sterilized	System Rack(PC)	96 tips $\times$ 10 racks	5 units
1252P-801CS	200 $\mu$ L, Long Filter Tip, Graduated	Sterilized	System Rack(PP)	96 tips $\times$ 10 racks	5 units
1272-801CS	200 $\mu$ L, Long Filter Tip, Graduated	Sterilized	Refill Plate	96 tips $\times$ 10 plates	5 units

1272-801CS  
200  $\mu$ L, Long Filter Tip  
Refill Plate



Best for the use of 5 mL test tube with its length 75 mm.

**Note: Please read precautions of the use of 801CS series tips on page 28.**

**Pipette tip compatibility**

- Watson NEXTY/NEXTY-S 20-200  $\mu$ L(Multi) / 200  $\mu$ L(Fixed volume)
- Eppendorf Reference/ Research V 50(20)-200  $\mu$ L • Gilson Pipetman P-200
- Finnpiquette Digital 20-200  $\mu$ L • Biohit Proline 20-200  $\mu$ L • Nichiryo Nichipet EX 20-200  $\mu$ L
- A&D MPA-200



Filter Tips

300  $\mu$ L

## 300 $\mu$ L, Standard Filter Tip



Real scale

53 mm



124-300S  
300  $\mu$ L, Filter Tip  
System Rack



126-300S  
300  $\mu$ L, Filter Tip  
Refill Plate




Cat. No.	Item	Packaging	Unit	Case
124-300S	300 $\mu$ L, Filter Tip	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
126-300S	300 $\mu$ L, Filter Tip	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units

Material: Polypropylene (pipette tip, plate) Polyethylene (filter)

Pipette tip compatibility • Watson NEXTY/NEXTY-S 20-200  $\mu$ L (Multi) / 50-300  $\mu$ L (Multi)

1000  $\mu$ L

## 1000 $\mu$ L, Long Standard Filter Tip



Real scale

80 mm



124-1000S  
1000  $\mu$ L, Long Filter Tip  
System Rack



124P-1000S  
1000  $\mu$ L, Long Filter Tip  
System Rack(PP)




Cat. No.	Item	Packaging	Unit	Case
124-1000S	1000 $\mu$ L, Long Filter Tip, Graduated	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
124P-1000S	1000 $\mu$ L, Long Filter Tip, Graduated	Sterilized System Rack(PP)	96 tips $\times$ 10 racks	5 units
126-1000S	1000 $\mu$ L, Long Filter Tip, Graduated	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units


Material: Polypropylene (pipette tip, plate) Polyethylene (filter)

Pipette tip compatibility • Watson NEXTY/NEXTY-S 100-1000  $\mu$ L / 1000  $\mu$ L (Fixed volume)

- Eppendorf Reference/ Research V 100-1000  $\mu$ L
- Gilson Pipetman P-1000
- Finnpiquette Digital 100-1000  $\mu$ L
- Biohit Proline 100-1000  $\mu$ L
- Nichiryo Nichipet EX 100-1000  $\mu$ L
- A&D MPA-1200



126-1000S  
1000  $\mu$ L, Long Filter Tip  
Refill Plate




1200  $\mu$ L

## 1200 $\mu$ L, Extra-Long Standard Filter Tip



Real scale


130 mm



It reaches to the inner bottom of 15 mL / 50 mL centrifuge tube. No concern of contamination of the pipette's nozzle with the solution and/or the inner part of centrifuge tube.



124-1200S  
1200  $\mu$ L  
Extra-Long Filter Tip  
System Rack



126-1200S  
1200  $\mu$ L  
Extra-Long Filter Tip  
Refill Plate



Cat. No.	Item	Packaging	Unit	Case
124-1200S	1200 $\mu$ L, Extra Long Filter Tip, Graduated	Sterilized System Rack(PC)	96 tips $\times$ 10 racks	5 units
126-1200S	1200 $\mu$ L, Extra Long Filter Tip, Graduated	Sterilized Refill Plate	96 tips $\times$ 10 plates	5 units

Material: Polypropylene (pipette tip, plate) Polyethylene (filter)


Pipette tip compatibility • Watson NEXTY/NEXTY-S 100-1000  $\mu$ L / 1000  $\mu$ L (Fixed volume)

- Eppendorf Reference/ Research V 100-1000  $\mu$ L
- Gilson Pipetman P-1000
- Finnpiquette Digital 100-1000  $\mu$ L
- Biohit Proline 100-1000  $\mu$ L
- Nichiryo Nichipet EX 100-1000  $\mu$ L
- A&D MPA-1200

Note: Please read precautions of the use of 1200S series tips on page 28.

5 mL

### 5000 $\mu$ L, Standard Filter Tip




Real scale



124-5000S  
5000  $\mu$ L, Filter Tip  
System Rack



126-5000S  
5000  $\mu$ L, Filter Tip  
Refill Plate



Cat. No.	Item	Packaging	Unit	Case
124-5000S	5000 $\mu$ L, Filter Tip, Graduated <b>Sterilized</b>	System Rack(PC)	24 tips $\times$ 10 racks	5 units
126-5000S	5000 $\mu$ L, Filter Tip, Graduated <b>Sterilized</b>	Refill Plate	24 tips $\times$ 10 plates	5 units


**Pipette tip compatibility** - Watson NEXTY/NEXTY-S 500-5000  $\mu$ L / 5000  $\mu$ L (Fixed volume)  
 • Gilson Pipetman P-5000  
 • Socorex Acura 0.5-5 mL

Material: Polypropylene (pipette tip, plate) Polyethylene (filter)

## Low Retention Filter Tips

10  $\mu$ L

### 10 $\mu$ L, Long Low-Retention Filter Tip




Real scale



1252-207CLS  
10  $\mu$ L, Long  
Low-Retention Filter Tip  
System Rack



1272-207CLS  
10  $\mu$ L, Long  
Low-Retention Filter Tip  
Refill Plate



Cat. No.	Item	Packaging	Unit	Case
1252-207CLS	10 $\mu$ L Long Low-Retention Filter Tips <b>Sterilized</b>	System Rack(PC)	96 tips $\times$ 10 racks	5 units
1272-207CLS	10 $\mu$ L Long Low-Retention Filter Tips <b>Sterilized</b>	Refill Plate	96 tips $\times$ 10 plates	5 units

Material: Polypropylene (pipette tip, plate)  
Polyethylene (filter)




200  $\mu$ L


### 200 $\mu$ L, Low-Retention Filter Tip




Real scale



1252-703CLS  
200  $\mu$ L  
Low-Retention Filter Tip  
System Rack



1272-703CLS  
200  $\mu$ L  
Low-Retention Filter Tip  
Refill Plate




Cat. No.	Item	Packaging	Unit	Case
1252-703CLS	200 $\mu$ L Long Low-Retention Filter Tips <b>Sterilized</b>	System Rack(PC)	96 tips $\times$ 10 racks	5 units
1272-703CLS	200 $\mu$ L Long Low-Retention Filter Tips <b>Sterilized</b>	Refill Plate	96 tips $\times$ 10 plates	5 units

Material: Polypropylene (pipette tip, plate) Polyethylene (filter)



1000  $\mu$ L


### 1000 $\mu$ L, Long Low-Retention Filter Tip



Real scale



124-1000LS  
1000  $\mu$ L, Long  
Low-Retention Filter Tip  
System Rack



126-1000LS  
1000  $\mu$ L, Long  
Low-Retention Filter Tip  
Refill Plate



Cat. No.	Item	Packaging	Unit	Case
124-1000LS	1000 $\mu$ L Long Low-Retention Filter Tips <b>Sterilized</b>	System Rack(PC)	96 tips $\times$ 10 racks	5 units
126-1000LS	1000 $\mu$ L Long Low-Retention Filter Tips <b>Sterilized</b>	Refill Plate	96 tips $\times$ 10 plates	5 units

Material: Polypropylene (pipette tip, plate)  
Polyethylene (filter)



Filter Tips / Low Retention Filter Tips